

# CERTIFICATE OF ANALYSIS No.: 2023-12342

## CLIENT

Pharmahemp d.o.o., Cesta v Gorice 8  
1000 Ljubljana, Slovenija

## SAMPLE \*

EXTRACT PHUD 670



Sample condition: SUITABLE

Sample ID: 2328051

Sample type: Resinous material

Batch No.: \* EPD67023195A

Work order: 2023-107574

Analysis ID: 2023\_214

Method ID: PHL\_RPC\_16C

Method SOP: MET-LAB-001-08

















Sample received: 14/07/2023

Start of analysis: 14/07/2023

End of analysis: 14/07/2023

Analyst: Domen Lavriha

\* Information provided by the client.

CANNABINOID PROFILE		Concentration [% w/w]	Expanded uncertainty [% w/w]	Graphic presentation of relative cannabinoid concentration
<b>CBDV</b>	- Cannabidivarin	0.697	0.084	
<b>CBDA</b>	- Cannabidiolic acid	< LOQ	n/a	
<b>CBGA</b>	- Cannabigerolic acid	< LOQ	n/a	
<b>CBG</b>	- Cannabigerol	0.94	0.12	
<b>CBD</b>	- Cannabidiol	68.7	3.4	
<b>THCV</b>	- Tetrahydrocannavarin	< LOQ	n/a	
<b>CBN</b>	- Cannabinol	1.914	0.096	
<b>Δ<sup>9</sup>-THC</b>	- Δ-9-Tetrahydrocannabinol	< LOQ	n/a	
<b>Δ<sup>8</sup>-THC</b>	- Δ-8-Tetrahydrocannabinol	< LOQ	n/a	
<b>CBL</b>	- Cannabicyclol	0.474	0.080	
<b>CBC</b>	- Cannabichromene	2.39	0.12	
<b>Δ<sup>9</sup>-THCA</b>	- Δ-9-Tetrahydrocannabinolic acid	< LOQ	n/a	
<b>CBV</b>	- Cannabivarin	< LOQ	n/a	
<b>CBCA</b>	- Cannabichromenic acid	< LOQ	n/a	
<b>CBT</b>	- Cannabicitran	2.81	0.14	
<b>CBE</b>	- Cannabielsoin	3.79 #	0.38	

Units and abbreviations: % w/w = weight percent, < LOQ = below the limit of quantitation (0.03 % w/w), ND = not detected, n/a = not available.

The results given herein apply only to the sample as received and tested. **Expanded Uncertainty** was calculated using coverage factor  $k = 2$ , corresponding to a double standard uncertainty and characterizes the interval value in which it is possible to expect the real value with a probability of 95%. This is stated according to the ISO/IEC Guide 98-3.

Total or partial reproduction of this document is not allowed without the permit from PharmaHemp d.o.o. The document does not substitute any other legal document.

Date issued:

14/07/2023

Approved by:



mag. Janja Ahej

Analytical Laboratory Manager

Authorized by:



dr. Boštjan Jančar

Chief Technology Officer

End of Certificate